

Head Office:

No 1, Orita Ajara Olorunda Abaa-akobo Road, Ibadan

Our Factory:

Km 23, Ibadan-ife Expressway, Asejire Hill Crest Asejire, Ibadan

E-mail: royalalum@yahoo.com, royalomb@gmail.com

www.royalalum.com

Tel: 07055566443



ROYAL ALUMINIUM

A Division Of OMB Royal Global Services

RC: 1392497

Think Value... Think Royal Aluminium

COMPANY PROFILE

Royal Aluminium, a division of OMB Royal Global Services is an aluminium company that provides excellent and durable aluminium roofing materials. Our Aluminium is made from material that is sturdy and weather resistant. It is rust-free and maintenance free.

Our staff are specially trained to provide a first class service.

Our aluminium products are long lasting, easy to erect, self-ventilated and less susceptible to damage from termites. They are known for exceptional stability and can be used for residential, state and federal government housing projects. They are also used by corporate commercial firms.

We stock durable roofing aluminium products in various models, sizes and colours.

We provide bespoke aluminium products to meet the needs of our customers.

Royal Aluminium Standard Features

Our products and professional services are always available. We offer 100% guaranteed approval for all our products.

For more information on our current prices and visiting our factory, please call us on 07055566443 or email us on royalalum@yahoo.com or royalomb@gmail.com

TECHNICAL SPECIFICATION

Aluminium roofing sheet detail

	NORMAL	METRAL
Number of Pitches	6	5
Material	Alloy 3003	Alloy 3003 H18
Material width	1200mm	1200mm
Effective Roof coverage	900mm	1000mm
Pitch of Profile	150mm	200mm
Depth of Profile	30mm	26mm

THICKNESS

0.45
0.55
0.70

OUR RANGE OF PRODUCTS:

- Oven Baked Longspan Aluminium
- Aluminium Windows & Doors
- Flashings & Claddings
- All Aluminium Accessories


Our Vision

Is to be an excellent and consistent provider of aluminium products at all times.

Our Mission


- To provide quality aluminium products
- To provide competitive and affordable prices
- To provide bespoke products that meets the needs of our customers.

TECHNICAL DETAILS




Model	Effective Width	Coil Width	Thickness	Usage
27-190-950	950	1200	.45 - .70	Glazed Tile Roof

FX40-235-705




Model	Effective Width	Coil Width	Thickness	Usage
40-235-705	705	1000	.45 - .70	Glazed Tile Roof

FX30-150-900



Model	Effective Width	Coil Width	Thickness	Usage
30-150-900	900	1200	.45 - .70	Roof Panel

FX25-200-1000



Model	Effective Width	Coil Width	Thickness	Usage
25-200-1000	1000	1200	.45 - .70	Roof Panel

ALUMINIUM HAS VARIOUS BENEFITS SOME OF WHICH ARE:

Strength: Pure aluminium is soft enough to carve but mixed with small amounts of other metals to form alloys, it can provide the strength, with only one third of the weight.

Flexibility: Its combination of properties ensures aluminium and its alloys can be easily shaped by any of the main industrial metal working processes-rolling, extrusion e.t.c

Lightweight: The low specific gravity of the alloy is economic to buildings construction because only a small number of stanchions is necessary to support a light weight aluminium roof. It is conveniently handled in the side due to its light weight.

SOME CHARACTERISTICS OF ALUMINIUM

- Non combustible
- Corrosion resistant
- Malleable
- Easily formed and machined
- Non-Toxic
- Decorative
- Impervious
- Non-Magnetic
- Low density
- Alloys with small amounts of copper, magnesium, silicon, magnesia and other elements that have very useful properties.

